











Product Sheet

1/1

Product number	33001310
Product name	AL-6-FS-AS-G20-20mbar
Connection	1/4"
Capacity	3,50 kW - 4,50 kW
Consumption	0,43 m3/h
Dimensions	59x42x29cm
Weight	7.2 Kg
EAN Code	8720153610254




Product number	Description	Quantity
 00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
 01642016	Branderbak AL-6 gekit Lage druk Burnerhouse AL-6 inclusive low-pressure ceramic stones Brennergehäuse AL-6 inklusive Niederdrucksteine Brûleur AL-6 y compris les céramiques basse pression Quemador AL-6 inclusive cerâmicas de baja presión	1,00
 01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
 02306012	Reflector Zwart AL-6- F / FS - AS Reflector black AL-6- F / FS - AS Reflector black AL-6- F / FS - AS Réflecteur black AL-6- F / FS - AS Reflector black AL-6- F / FS - AS	1,00
 02404001	Gaas AL6-F / FS Wire mesh AL6-F / FS Gitter AL6-F / FS Grille AL6-F / FS Malla AL6-F / FS	1,00
 02530000	Stoffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
 10001111	Beveiligingsset AL-6-FS-G20 - 20mbar Safetydevice set AL-6-FS-G20 - 20mbar Sicherheitsset AL-6-FS-G20 - 20mbar Kit de sécurité AL-6-FS-G20 - 20mbar Kit de valvula de seguridad AL-6-FS-G20 - 20mbar	1,00











Product Sheet

1/1

Product number	33001320
Product name	AL-6-FS-AS-G20-200mbar
Connection	1/4"
Capacity	3,80 kW - 5,40 kW
Consumption	0,52 m3/h
Dimensions	59x42x29cm
Weight	7.2 Kg
EAN Code	8720153610766




Product number	Description	Quantity
 00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
 01313013	Venturi messing 18x33 diam. 10,5 mm Venturi brass 18x33 diam. 10,5 mm Venturi Messing 18x33 diam. 10,5 mm Venturi laiton 18x33 diam. 10,5 mm Venturi Latón 18x33 diam. 10,5 mm	1,00
 01642017	Branderbak AL-6 gekit Hoge druk Burnerhouse AL-6 inclusive high-pressure ceramic stones Brennergehäuse AL-6 inklusive Hochdrucksteine Brûleur AL-6 y compris les céramiques haute pression Quemador AL-6 inclusive cerámicas de alta presión	1,00
 01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
 02306012	Reflector Zwart AL-6- F / FS - AS Reflector black AL-6- F / FS - AS Reflector black AL-6- F / FS - AS Réflecteur black AL-6- F / FS - AS Reflector black AL-6- F / FS - AS	1,00
 02404001	Gaas AL6-F / FS Wire mesh AL6-F / FS Gitter AL6-F / FS Grille AL6-F / FS Malla AL6-F / FS	1,00
 02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
 10001121	Beveiligingsset AL-6-FS-G20 - 200mbar Safetydevice set AL-6-FS-G20 - 200mbar Sicherheitsset AL-6-FS-G20 - 200mbar Kit de sécurité AL-6-FS-G20 - 200mbar Kit de valvula de seguridad AL-6-FS-G20 - 200mbar	1,00










Product Sheet

1/1

Product number	33001330
Product name	AL-6-FS-AS-G25-20mbar
Connection	1/4"
Capacity	3,50 kW - 4,50 kW
Consumption	0,50 m3/h
Dimensions	59x42x29cm
Weight	7.2 Kg
EAN Code	8720153610261




Product number	Description	Quantity
 00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
 01642016	Branderbak AL-6 gekit Lage druk Burnerhouse AL-6 inclusive low-pressure ceramic stones Brennergehäuse AL-6 inklusive Niederdrucksteine Brûleur AL-6 y compris les céramiques basse pression Quemador AL-6 inclusive cerâmicas de baja presión	1,00
 01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
 02306012	Reflector Zwart AL-6- F / FS - AS Reflector black AL-6- F / FS - AS Reflector black AL-6- F / FS - AS Réflecteur black AL-6- F / FS - AS Reflector black AL-6- F / FS - AS	1,00
 02404001	Gaas AL6-F / FS Wire mesh AL6-F / FS Gitter AL6-F / FS Grille AL6-F / FS Malla AL6-F / FS	1,00
 02530000	Stoffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
 10001131	Beveiligingsset AL-6-FS-G25 - 20mbar Safetydevice set AL-6-FS-G25 - 20mbar Sicherheitsset AL-6-FS-G25 - 20mbar Kit de sécurité AL-6-FS-G25 - 20mbar Kit de valvula de seguridad AL-6-FS-G25 - 20mbar	1,00











Product Sheet

1/1

Product number	33001340
Product name	AL-6-FS-AS-G25.3-25mbar
Connection	1/4"
Capacity	3,60 kW - 4,70 kW
Consumption	0,51 m3/h
Dimensions	59x42x29cm
Weight	7.2 Kg
EAN Code	8720153610278




Product number	Description	Quantity
 00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
 01313025	Venturi messing 18x33 diam. 15 mm Venturi brass 18x33 diam. 15 mm Venturi Messing 18x33 diam. 15 mm Venturi laiton 18x33 diam. 15 mm Venturi Latón 18x33 diam. 15 mm	1,00
 01642016	Branderbak AL-6 gekit Lage druk Burnerhouse AL-6 inclusive low-pressure ceramic stones Brennergehäuse AL-6 inklusive Niederdrucksteine Brûleur AL-6 y compris les céramiques basse pression Quemador AL-6 inclusive cerámicas de baja presión	1,00
 01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
 02306012	Reflector Zwart AL-6- F / FS - AS Reflector black AL-6- F / FS - AS Reflector black AL-6- F / FS - AS Réflecteur black AL-6- F / FS - AS Reflector black AL-6- F / FS - AS	1,00
 02404001	Gaas AL6-F / FS Wire mesh AL6-F / FS Gitter AL6-F / FS Grille AL6-F / FS Malla AL6-F / FS	1,00
 02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
 10001141	Beveiligingsset AL-6-FS-G25.3 - 25mbar Safetydevice set AL-6-FS-G25.3 - 25mbar Sicherheitsset AL-6-FS-G25.3 - 25mbar Kit de sécurité AL-6-FS-G25.3 - 25mbar Kit de valvula de seguridad AL-6-FS-G25.3 - 25mbar	1,00











Product Sheet

1/1

Product number	33001350
Product name	AL-6-FS-AS-G25.3-200mbar
Connection	1/4"
Capacity	3,80 kW - 5,40 kW
Consumption	0,59 m3/h
Dimensions	59x42x29cm
Weight	7.2 Kg
EAN Code	8720153610773




Product number	Description	Quantity
 00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
 01313013	Venturi messing 18x33 diam. 10,5 mm Venturi brass 18x33 diam. 10,5 mm Venturi Messing 18x33 diam. 10,5 mm Venturi laiton 18x33 diam. 10,5 mm Venturi Latón 18x33 diam. 10,5 mm	1,00
 01642017	Branderbak AL-6 gekit Hoge druk Burnerhouse AL-6 inclusive high-pressure ceramic stones Brennergehäuse AL-6 inklusive Hochdrucksteine Brûleur AL-6 y compris les céramiques haute pression Quemador AL-6 inclusive cerámicas de alta presión	1,00
 01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
 02306012	Reflector Zwart AL-6- F / FS - AS Reflector black AL-6- F / FS - AS Reflector black AL-6- F / FS - AS Réflecteur black AL-6- F / FS - AS Reflector black AL-6- F / FS - AS	1,00
 02404001	Gaas AL6-F / FS Wire mesh AL6-F / FS Gitter AL6-F / FS Grille AL6-F / FS Malla AL6-F / FS	1,00
 02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
 10001151	Beveiligingsset AL-6-FS-G25.3 - 200mbar Safetydevice set AL-6-FS-G25.3 - 200mbar Sicherheitsset AL-6-FS-G25.3 - 200mbar Kit de sécurité AL-6-FS-G25.3 - 200mbar Kit de valvula de seguridad AL-6-FS-G25.3 - 200mbar	1,00










Product Sheet

1/1

Product number 33001360
Product name AL-6-FS-AS-G31-50mbar
Connection 1/4"
Capacity 3,20 kW - 4,50 kW
Consumption 322 g/h
Dimensions 59x42x29cm
Weight 7.2 Kg
EAN Code 8720153610285




Product number	Description	Quantity
 00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
 01642016	Branderbak AL-6 gekit Lage druk Burnerhouse AL-6 inclusive low-pressure ceramic stones Brennergehäuse AL-6 inklusive Niederdrucksteine Brûleur AL-6 y compris les céramiques basse pression Quemador AL-6 inclusive cerámicas de baja presión	1,00
 01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
 02306012	Reflector Zwart AL-6- F / FS - AS Reflector black AL-6- F / FS - AS Reflector black AL-6- F / FS - AS Réflecteur black AL-6- F / FS - AS Reflector black AL-6- F / FS - AS	1,00
 02404001	Gaas AL6-F / FS Wire mesh AL6-F / FS Gitter AL6-F / FS Grille AL6-F / FS Malla AL6-F / FS	1,00
 02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
 10001161	Beveiligingsset AL-6-FS-G31 - 50mbar Safetydevice set AL-6-FS-G31 - 50mbar Sicherheitsset AL-6-FS-G31 - 50mbar Kit de sécurité AL-6-FS-G31 - 50mbar Kit de valvula de seguridad AL-6-FS-G31 - 50mbar	1,00











Product Sheet

1/1

Product number	33001370
Product name	AL-6-FS-AS-G31-150mbar
Connection	1/4"
Capacity	3,30 kW - 4,75 kW
Consumption	340 g/h
Dimensions	59x42x29cm
Weight	7.2 Kg
EAN Code	8720153610292



Product number	Description	Quantity
 00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
 01313018	Venturi messing 18x33 diam. 12 mm Venturi brass 18x33 diam. 12 mm Venturi Messing 18x33 diam. 12 mm Venturi laiton 18x33 diam. 12 mm Venturi Latón 18x33 diam. 12 mm	1,00
 01642016	Branderbak AL-6 gekit Lage druk Burnerhouse AL-6 inclusive low-pressure ceramic stones Brennergehäuse AL-6 inklusive Niederdrucksteine Brûleur AL-6 y compris les céramiques basse pression Quemador AL-6 inclusive cerámicas de baja presión	1,00
 01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
 02306012	Reflector Zwart AL-6- F / FS - AS Reflector black AL-6- F / FS - AS Reflector black AL-6- F / FS - AS Réflecteur black AL-6- F / FS - AS Reflector black AL-6- F / FS - AS	1,00
 02403010	Gaas AL-4 AL-4-F/ FS -AS Wire mesh AL-4-F/ FS -AS Gitter AL-4-F/ FS -AS Grille AL-4-F/ FS -AS Malla AL-4-F/ FS -AS	1,00
 02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
 10001171	Beveiligingsset AL-6-FS-G31 -150mbar Safetydevice set AL-6-FS-G31 -150mbar Sicherheitsset AL-6-FS-G31 -150mbar Kit de sécurité AL-6-FS-G31 -150mbar Kit de valvula de seguridad AL-6-FS-G31 -150mbar	1,00