












## Product Sheet

1/2

<b>Product number</b>	33001510
<b>Product name</b>	AL-6-FSEi-AS-G20-20mbar
<b>Connection</b>	1/4"
<b>Capacity</b>	3,50 kW - 4,50 kW
<b>Consumption</b>	0,43 m3/h
<b>Dimensions</b>	61x42x29cm
<b>Weight</b>	8 Kg
<b>EAN Code</b>	8720153610353




Product number	Description	Quantity
 00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
 00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
 00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
 01642016	Branderbak AL-6 gekit Lage druk Burnerhouse AL-6 inclusive low-pressure ceramic stones Brennergehäuse AL-6 inklusive Niederdrucksteine Brûleur AL-6 y compris les céramiques basse pression Quemador AL-6 inclusive cerámicas de baja presión	1,00
 01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
 02306013	Reflector Zwart AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Réflecteur black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS	1,00
 02404003	Gaas AL6-FEI / FSEI Wire mesh AL6-FEI / FSEI Gitter AL6-FEI / FSEI Grille AL6-FEI / FSEI Malla AL6-FEI / FSEI	1,00
 02530000	Stoffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00




## Product Sheet

2/2

Product number	33001510
Product name	AL-6-FSEi-AS-G20-20mbar
Connection	1/4"
Capacity	3,50 kW - 4,50 kW
Consumption	0,43 m3/h
Dimensions	61x42x29cm
Weight	8 Kg
EAN Code	8720153610353



Product number	Description	Quantity
03000012	Bougie EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Bougie EID2G Terras + connected cable L=400 mm Bujia EID2G Terras + connected cable L=400 mm	1,00
10001113	Beveiligingsset AL-6-FSEi-G20 - 20mbar Safetydevice set AL-6-FSEi-G20 - 20mbar Sicherheitsset AL-6-FSEi-G20 - 20mbar Kit de sécurité AL-6-FSEi-G20 - 20mbar Kit de valvula de seguridad AL-6-FSEi-G20 - 20mbar	1,00














## Product Sheet

1/2

<b>Product number</b>	33001520
<b>Product name</b>	AL-6-FSEi-AS-G20-200mbar
<b>Connection</b>	1/4"
<b>Capacity</b>	3,80 kW - 5,40 kW
<b>Consumption</b>	0,52 m3/h
<b>Dimensions</b>	61x42x29cm
<b>Weight</b>	8 Kg
<b>EAN Code</b>	8720153610803




Product number	Description	Quantity
 00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
 00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
 00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
 01313013	Venturi messing 18x33 diam. 10,5 mm Venturi brass 18x33 diam. 10,5 mm Venturi Messing 18x33 diam. 10,5 mm Venturi laiton 18x33 diam. 10,5 mm Venturi Latón 18x33 diam. 10,5 mm	1,00
 01642017	Branderbak AL-6 gekit Hoge druk Burnerhouse AL-6 inclusive high-pressure ceramic stones Brennergehäuse AL-6 inklusive Hochdrucksteine Brûleur AL-6 y compris les céramiques haute pression Quemador AL-6 inclusive cerámicas de alta presión	1,00
 01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
 02306013	Reflector Zwart AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Réflecteur black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS	1,00
 02404003	Gaas AL6-FEI / FSEI Wire mesh AL6-FEI / FSEI Gitter AL6-FEI / FSEI Grille AL6-FEI / FSEI Malla AL6-FEI / FSEI	1,00






## Product Sheet

2/2

Product number	33001520
Product name	AL-6-FSEi-AS-G20-200mbar
Connection	1/4"
Capacity	3,80 kW - 5,40 kW
Consumption	0,52 m3/h
Dimensions	61x42x29cm
Weight	8 Kg
EAN Code	8720153610803




Product number	Description	Quantity
 02530000	Stoffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
 03000012	Bougie EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Bougie EID2G Terras + connected cable L=400 mm Bujia EID2G Terras + connected cable L=400 mm	1,00
 10001123	Beveiligingsset AL-6-FSEi-G20 - 200mbar Safetydevice set AL-6-FSEi-G20 - 200mbar Sicherheitsset AL-6-FSEi-G20 - 200mbar Kit de sécurité AL-6-FSEi-G20 - 200mbar Kit de valvula de seguridad AL-6-FSEi-G20 - 200mbar	1,00











## Product Sheet

1/2

<b>Product number</b>	33001530
<b>Product name</b>	AL-6-FSEi-AS-G25-20mbar
<b>Connection</b>	1/4"
<b>Capacity</b>	3,50 kW - 4,50 kW
<b>Consumption</b>	0,50 m3/h
<b>Dimensions</b>	61x42x29cm
<b>Weight</b>	8 Kg
<b>EAN Code</b>	8720153610360




Product number	Description	Quantity
 00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
 00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
 00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
 01642016	Branderbak AL-6 gekit Lage druk Burnerhouse AL-6 inclusive low-pressure ceramic stones Brennergehäuse AL-6 inklusive Niederdrucksteine Brûleur AL-6 y compris les céramiques basse pression Quemador AL-6 inclusive cerámicas de baja presión	1,00
 01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
 02306013	Reflector Zwart AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Réflecteur black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS	1,00
 02404003	Gaas AL6-FEI / FSEI Wire mesh AL6-FEI / FSEI Gitter AL6-FEI / FSEI Grille AL6-FEI / FSEI Malla AL6-FEI / FSEI	1,00
 02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00




## Product Sheet

2/2

Product number	33001530
Product name	AL-6-FSEi-AS-G25-20mbar
Connection	1/4"
Capacity	3,50 kW - 4,50 kW
Consumption	0,50 m3/h
Dimensions	61x42x29cm
Weight	8 Kg
EAN Code	8720153610360



Product number	Description	Quantity
03000012	Bougie EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Bougie EID2G Terras + connected cable L=400 mm Bujia EID2G Terras + connected cable L=400 mm	1,00
10001133	Beveiligingsset AL-6-FSEi-G25 - 20mbar Safetydevice set AL-6-FSEi-G25 - 20mbar Sicherheitsset AL-6-FSEi-G25 - 20mbar Kit de sécurité AL-6-FSEi-G25 - 20mbar Kit de valvula de seguridad AL-6-FSEi-G25 - 20mbar	1,00














## Product Sheet

1/2

<b>Product number</b>	33001540
<b>Product name</b>	AL-6-FSEi-AS-G25.3-25mbar
<b>Connection</b>	1/4"
<b>Capacity</b>	3,60 kW - 4,70 kW
<b>Consumption</b>	0,51 m3/h
<b>Dimensions</b>	61x42x29cm
<b>Weight</b>	8 Kg
<b>EAN Code</b>	8720153610377



Product number	Description	Quantity
 00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
 00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
 00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
 01313025	Venturi messing 18x33 diam. 15 mm Venturi brass 18x33 diam. 15 mm Venturi Messing 18x33 diam. 15 mm Venturi laiton 18x33 diam. 15 mm Venturi Latón 18x33 diam. 15 mm	1,00
 01642016	Branderbak AL-6 gekit Lage druk Burnerhouse AL-6 inclusive low-pressure ceramic stones Brennergehäuse AL-6 inklusive Niederdrucksteine Brûleur AL-6 y compris les céramiques basse pression Quemador AL-6 inclusive cerámicas de baja presión	1,00
 01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
 02306013	Reflector Zwart AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Réflecteur black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS	1,00
 02404003	Gaas AL6-FEi / FSEI Wire mesh AL6-FEi / FSEI Gitter AL6-FEi / FSEI Grille AL6-FEi / FSEI Malla AL6-FEi / FSEI	1,00









## Product Sheet

2/2

**Product number** 33001540  
**Product name** AL-6-FSEi-AS-G25.3-25mbar  
**Connection** 1/4"  
**Capacity** 3,60 kW - 4,70 kW  
**Consumption** 0,51 m3/h  
**Dimensions** 61x42x29cm  
**Weight** 8 Kg  
**EAN Code** 8720153610377



Product number	Description	Quantity
 02530000	Stoffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
 03000012	Bougie EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Bougie EID2G Terras + connected cable L=400 mm Bujia EID2G Terras + connected cable L=400 mm	1,00
 10001143	Beveiligingsset AL-6-FSEi-G25.3 - 25mbar Safetydevice set AL-6-FSEi-G25.3 - 25mbar Sicherheitsset AL-6-FSEi-G25.3 - 25mbar Kit de sécurité AL-6-FSEi-G25.3 - 25mbar Kit de valvula de seguridad AL-6-FSEi-G25.3 - 25mbar	1,00














## Product Sheet

1/2

<b>Product number</b>	33001550
<b>Product name</b>	AL-6-FSEi-AS-G25.3-200mbar
<b>Connection</b>	1/4"
<b>Capacity</b>	3,80 kW - 5,40 kW
<b>Consumption</b>	0,59 m3/h
<b>Dimensions</b>	61x42x29cm
<b>Weight</b>	8 Kg
<b>EAN Code</b>	8720153610810




Product number	Description	Quantity
 00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
 00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
 00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
 01313013	Venturi messing 18x33 diam. 10,5 mm Venturi brass 18x33 diam. 10,5 mm Venturi Messing 18x33 diam. 10,5 mm Venturi laiton 18x33 diam. 10,5 mm Venturi Latón 18x33 diam. 10,5 mm	1,00
 01642017	Branderbak AL-6 gekit Hoge druk Burnerhouse AL-6 inclusive high-pressure ceramic stones Brennergehäuse AL-6 inklusive Hochdrucksteine Brûleur AL-6 y compris les céramiques haute pression Quemador AL-6 inclusive cerámicas de alta presión	1,00
 01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
 02306013	Reflector Zwart AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Réflecteur black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS	1,00
 02404003	Gaas AL6-FEi / FSEI Wire mesh AL6-FEi / FSEI Gitter AL6-FEi / FSEI Grille AL6-FEi / FSEI Malla AL6-FEi / FSEI	1,00






## Product Sheet

2/2

<b>Product number</b>	33001550
<b>Product name</b>	AL-6-FSEi-AS-G25.3-200mbar
<b>Connection</b>	1/4"
<b>Capacity</b>	3,80 kW - 5,40 kW
<b>Consumption</b>	0,59 m3/h
<b>Dimensions</b>	61x42x29cm
<b>Weight</b>	8 Kg
<b>EAN Code</b>	8720153610810




Product number	Description	Quantity
 02530000	Stofffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
 03000012	Bougie EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Bougie EID2G Terras + connected cable L=400 mm Bujia EID2G Terras + connected cable L=400 mm	1,00
 10001153	Beveiligingsset AL-6-FSEi-G25.3 - 200mbar Safetydevice set AL-6-FSEi-G25.3 - 200mbar Sicherheitsset AL-6-FSEi-G25.3 - 200mbar Kit de sécurité AL-6-FSEi-G25.3 - 200mbar Kit de valvula de seguridad AL-6-FSEi-G25.3 - 200mbar	1,00











## Product Sheet

1/2

<b>Product number</b>	33001560
<b>Product name</b>	AL-6-FSEi-AS-G31-50mbar
<b>Connection</b>	1/4"
<b>Capacity</b>	3,20 kW - 4,50 kW
<b>Consumption</b>	322 g/h
<b>Dimensions</b>	61x42x29cm
<b>Weight</b>	8 Kg
<b>EAN Code</b>	8720153610384




Product number	Description	Quantity
 00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
 00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
 00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
 01642016	Branderbak AL-6 gekit Lage druk Burnerhouse AL-6 inclusive low-pressure ceramic stones Brennergehäuse AL-6 inklusive Niederdrucksteine Brûleur AL-6 y compris les céramiques basse pression Quemador AL-6 inclusive cerámicas de baja presión	1,00
 01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
 02306013	Reflector Zwart AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Réflecteur black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS	1,00
 02404003	Gaas AL6-FEI / FSEI Wire mesh AL6-FEI / FSEI Gitter AL6-FEI / FSEI Grille AL6-FEI / FSEI Malla AL6-FEI / FSEI	1,00
 02530000	Stoffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00




## Product Sheet

2/2

Product number	33001560
Product name	AL-6-FSEi-AS-G31-50mbar
Connection	1/4"
Capacity	3,20 kW - 4,50 kW
Consumption	322 g/h
Dimensions	61x42x29cm
Weight	8 Kg
EAN Code	8720153610384



Product number	Description	Quantity
03000012	Bougie EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Bougie EID2G Terras + connected cable L=400 mm Bujia EID2G Terras + connected cable L=400 mm	1,00
10001163	Beveiligingsset AL-6-FSEi-G31 - 50mbar Safetydevice set AL-6-FSEi-G31 - 50mbar Sicherheitsset AL-6-FSEi-G31 - 50mbar Kit de sécurité AL-6-FSEi-G31 - 50mbar Kit de valvula de seguridad AL-6-FSEi-G31 - 50mbar	1,00














## Product Sheet

1/2

<b>Product number</b>	33001570
<b>Product name</b>	AL-6-FSEi-AS-G31-150mbar
<b>Connection</b>	1/4"
<b>Capacity</b>	3,30 kW - 4,75 kW
<b>Consumption</b>	340 g/h
<b>Dimensions</b>	61x42x29cm
<b>Weight</b>	8 Kg
<b>EAN Code</b>	8720153610391




Product number	Description	Quantity
 00185005	EID2G Ontstekingsautomaat 230Vac 50-60Hz.30Va,IP65 EID2G Electronic ignition 230Vac 50-60Hz.30Va, IP65 EID2G Automatische Zündung 230Vac 50-60Hz.30Va, IP65 EID2G Allumage automatique 230Vac 50-60Hz.30Va, IP65 EID2G Encendido automático 230Vac 50-60Hz.30Va, IP65	1,00
 00198010	Thermokoppel M8 x M8 L=300 mm, verlengstuk Thermocouple M8 x M8 L=300 mm, extension Thermoelement M8 x M8 L=300 mm, Erweiterung Thermocouple M8 x M8 L=300 mm, extension	1,00
 00205026	Thermokoppel M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series Thermoelement M8x750 Q set for AL 4/6 Series Thermocouple M8x750 Q set for AL 4/6 Series	1,00
 01313018	Venturi messing 18x33 diam. 12 mm Venturi brass 18x33 diam. 12 mm Venturi Messing 18x33 diam. 12 mm Venturi laiton 18x33 diam. 12 mm Venturi Latón 18x33 diam. 12 mm	1,00
 01642016	Branderbak AL-6 gekit Lage druk Burnerhouse AL-6 inclusive low-pressure ceramic stones Brennergehäuse AL-6 inklusive Niederdrucksteine Brûleur AL-6 y compris les céramiques basse pression Quemador AL-6 inclusive cerámicas de baja presión	1,00
 01799001	Aansluitstuk AL 4 / AL6 Connector AL 4 / AL6 Anschlussstück AL 4 / AL6 Pièce de connexion AL 4 / AL6 Pieza de conexión AL 4 / AL6	1,00
 02306013	Reflector Zwart AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS Réflecteur black AL-6- FSEi / FEi - AS Reflector black AL-6- FSEi / FEi - AS	1,00
 02404003	Gaas AL6-FEi / FSEI Wire mesh AL6-FEi / FSEI Gitter AL6-FEi / FSEI Grille AL6-FEi / FSEI Malla AL6-FEi / FSEI	1,00






## Product Sheet

2/2

Product number	33001570
Product name	AL-6-FSEi-AS-G31-150mbar
Connection	1/4"
Capacity	3,30 kW - 4,75 kW
Consumption	340 g/h
Dimensions	61x42x29cm
Weight	8 Kg
EAN Code	8720153610391



Product number	Description	Quantity
 02530000	Stoffilter laag RVS aansluitdiam. 35 mm 35/80/90 Stainless steel dustfilter, low model 35mm Inox Staubfilter diam. 35mm Filtre Air petit 35mm inox Filtro de aere inox 35mm	1,00
 03000012	Bougie EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Spark plug EID2G Terras + connected cable L=400 mm Bougie EID2G Terras + connected cable L=400 mm Bujia EID2G Terras + connected cable L=400 mm	1,00
 10001173	Beveiligingsset AL-6-FSEi-G31 -150mbar Safetydevice set AL-6-FSEi-G31 -150mbar Sicherheitsset AL-6-FSEi-G31 -150mbar Kit de sécurité AL-6-FSEi-G31 -150mbar Kit de valvula de seguridad AL-6-FSEi-G31 -150mbar	1,00